

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE FIRST NAMED INVENTOR L-F / 180DV 09/764,630 01/18/2001 James H. Goethel 8472 **EXAMINER** 26875 08/04/2004 WOOD, HERRON & EVANS, LLP HAYES, MICHAEL J 2700 CAREW TOWER PAPER NUMBER ART UNIT **441 VINE STREET** CINCINNATI, OH 45202 3763

DATE MAILED: 08/04/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)
	09/764,630	GOETHEL ET AL.
	Examiner	Art Unit
	Michael J Hayes	3763
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl - If NO period for reply is specified above, the maximum statutory period of - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tin y within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from t, cause the application to become ABANDONE	nely filed rs will be considered timely. the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1)⊠ Responsive to communication(s) filed on 01 Ju	<u>uly 2004</u> .	
•—	action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is		
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4) Claim(s) 1-12 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-12 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	wn from consideration.	
Application Papers		
9) ☐ The specification is objected to by the Examine 10) ☑ The drawing(s) filed on 07 February 2003 is/are Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Example 11.	e: a) \boxtimes accepted or b) \square objecte drawing(s) be held in abeyance. Settion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list 	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) D Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D	ate
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:	Patent Application (PTO-152)

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7, and 12 are rejected under 35 U.S.C. 102(b) as being anticipated by Nightingale (US Patent No. 3747479). Nightingale discloses a syringe capable of mounting to an injector, including a barrel, plunger with a rearwardly facing drive ram engaging coupling element 72 that is knurled, a discharge tip, a conical front wall, syringe mating sections including annular flange, and an interior cavity within the coupling element 72. While a handle extends out of the barrel, the coupling element 72 does not extend out of the barrel in at least one position of the plunger. The area adapted to be within an area enveloped by a coupling mechanism (i.e., the knurled area) exhibits no discontinuity in area. See fig. 7.

Claims 1, 3-6 are rejected under 35 U.S.C. 102(b) as being anticipated by REILLY (US Patent No. 4,677,980). Reilly discloses an injector, including a barrel, plunger with a rearwardly facing drive ram engaging coupling element 156 that is knurled, a discharge tip, a conical front wall, syringe mating sections including annular flange. See figs. 2 and 17.

Claims 1, 3-7 are rejected under 35 U.S.C. 102(b) as being anticipated by DENSMORE (US Patent No. 5,007,904). Densmore discloses an injector, including a barrel, plunger with a rearwardly facing drive ram engaging coupling element that is knurled (i.e., has ridges on a

Application/Control Number: 09/764,630

Art Unit: 3763

rearwardly facing projection from the plunger), a discharge tip, a conical front wall, syringe mating sections including annular flange, and a cavity. See figs. 2, 4, and 6.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-12 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 9 of U.S. Patent No. 6,196,999. Although the conflicting claims are not identical, they are not patentably distinct from each other because they each recite a plunger with a knurled rearwardly facing engaging coupling element that is for mounting to an injector within the syringe.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Hayes at (703) 305-5873. The examiner can usually be reached Monday -Thursday, 7:00-4:30, and on alternate Fridays. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler, can be contacted at (703) 308-3552. The fax number for submitting official papers is (703) 872-9306.

Application/Control Number: 09/764,630 Page 4

Art Unit: 3763

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

mjh

31 July 2004

MICHAEL J. HAYES PRIMARY EXAMINER

Michael / Hayon